



CLOUD FAILOVER APPLIANCE

The Cloud Failover Appliance (CFA) is an enterprise-grade disaster recovery (DR) solution that provides push-button failover for Windows and Linux machines, both locally and in the cloud. Available as a virtual or physical appliance, the CFA comes with a fully integrated, backup, DR and archiving platform for all your files, applications and machines.



Key Features & Benefits

Cloud Spillover



Efficiently manage your backup and DR storage costs by keeping the most recent or important backups on the local appliance, with the remainder archived to the Infrascale cloud. Local and replication retention policies are managed separately allowing more effective use of your local and offsite appliance storage allocation.

Failover to the Cloud



For Windows and Linux machines, Administrators can right-click backups and choose any version of a machine's backup to be booted and run directly in the Infrascale cloud, with RDP access to help businesses minimize downtime.

Hyper-V & VMware Agentless Backup & DR



The DR cloud supports an agentless approach to backing up and recovering VMware and Hyper-V environments. Backup physical machines and recover them to existing hypervisors, or recover VMs as physical machines (P2V and V2P recovery support). Set policies to automatically protect newly created VMs to save additional time, money, and reduce risk of downtime due to human error.

Local Disaster Recovery



Windows and Linux systems that have been backed up onto an on-premise Infrascale appliance (Cloud Failover series) can be run directly on the appliance by simply right-clicking a backup and selecting "boot." In a matter of minutes, administrators will have VNC access to a live running machine. Once ready, the machine(s) can be powered off, backed up and recovered to production environments, including recovery to an existing vSphere environment.

15 Minute Failover Guarantee



Our cloud failover service guarantees that you can bring any system back online in our cloud in 15 minutes or less from time of the disaster.

Central Deployment and Management



Appliance backup settings and schedules as well as recoveries can be accessed over the WAN from a central management console or limited to LAN/VPN access for environments requiring greater security.

Key Features & Benefits (Cont.)

Deployable on Your Own Hardware



Infrascale's DRaaS is available as a VMware and Hyper-V Virtual machine.

The VMware appliance supports all of the software functionality of the physical appliances, the Hyper-V appliance supports all of the functionality except for local boot. The VMware appliance is appropriate for those users who wish to offer DRaaS services to their clients while using their own VMware-based data center infrastructure.

Full and Granular Recovery



Utilizing universal VSS writer support, Infrascale's DRaaS platform is capable of backing up databases like SQL, SAP and Exchange with additional support for mailbox level recovery of Exchange databases and file-level recovery for your backups of Windows and Linux machines.

DR for Linux



If you're running Linux VMs within your VMware environment, you can failover locally or to the cloud. This DR functionality is supported for the latest Red Hat, SUSE, Ubuntu, CentOS, Debian, Oracle and Fedora Linux Server OSs. Standalone Linux machines can be protected with our Linux agents.

Secure, Offsite Replication



Infrascale's on-premise appliances replicate backups to the Infrascale cloud or to secondary appliances using byte-level replication for maximum efficiency. The replication is secured with a AES-256 encryption to protect data against unauthorized access during data transfer.

Major Features and Functions

- GRANULAR BACKUP & RECOVERY
 - Windows 2003+
 - Microsoft Exchange 2003, 2007, 2010, 2013
 - VMware & Hyper-V
 - Major Linux
- REPLICATION
 - LOCAL BOOT
 - CLOUD BOOT
 - VERSION HISTORY
- DATA DEDUPLICATION
 - CENTRAL MANAGEMENT CONSOLE
 - PHYSICAL-TO-VIRTUAL RECOVERY
- FULL, DIFFERENTIAL, INCREMENTAL

Supported Systems

 MAJOR WINDOWS SERVER OS	Windows 2003 Windows 2008, 2008R2 Windows 2012, 2012R2 Windows 2016	 MAJOR LINUX SERVER OS	Red Hat Enterprise Linux (RHEL) 5.1 - 5.11, 6.1 - 6.6, 7.0 - 7.1 SUSE Linux Enterprise Server 11 - 12 Ubuntu 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04+ CentOS 5.1 - 5.11, 6.1 - 6.6, 7.0 - 7.1 Debian 6.0.0 - 6.0.8, 7.0.0 - 7.8.0, 8.0.0 Oracle Enterprise Linux 6.1 - 6.6, 7.0 - 7.1 Fedora Server 19 - 21
SQL 2005, 2008, 2014, 2016	Exchange 2003, 2007, 2010, 2013, 2016	vSphere ESXi 5, 6, 6.5	Win 2008R2+, 2012, 2016



Specifications for Physical Appliances

Feature/Model	550	950	955	1550	2750	4550
Usable storage	1TB	4TB / 6TB	6TB	8-24 TB	30-80 TB	80-160 TB
ARCHITECTURE:						
CPU	Intel N3160, 2.24GHz, 4 cores	Core i3 3.7GHz, 2 cores	Core i5 3.6GHz, 4 cores	Intel Xeon E3, 3.0GHz, 4 cores	Intel Xeon E5, 3.5GHz, 6 cores	Intel Xeon E5, 3.0GHz, 8 cores
Memory	8GB DDR3	16GB 2133MHz DDR4	32GB 2133MHz DDR4	32GB - 256GB 2133MHz ECC DDR4	64GB - 256GB 2133MHz ECC DDR4	128GB - 256GB 2133MHz ECC DDR4
Ethernet	2 x 1GbE	2 x 1GbE	2 x 1GbE	2 x 10GbE, IPMI	2 x 10GbE, IPMI	2 x 10GbE, IPMI
Solid state storage	-	128GB	128GB	240GB	480GB	960GB
Hard disk drives	1TB 7200 rpm	4TB 5900 rpm/ 6TB 7200 rpm	6TB 7200 rpm	4TB / 6TB / 8TB 7200 rpm	4TB / 6TB / 8TB 7200 rpm	4TB / 6TB / 8TB 7200 rpm
Hot swappable HDD Bays	-	2 HDDs	2 HDDs	4 HDDs	12 HDDs	24 HDDs
RAID level	-	RAID-1	RAID-1	RAID-5	RAID-6	RAID-6
DIMENSIONS						
Form factor	Mini PC	Desktop NAS	Desktop NAS	1U	2U	4U
Width x Depth x Height (in.)	5 x 5 x 2.2	10 x 5.5 x 7.1	10 x 5.5 x 7.1	17.2 x 19.85 x 1.7	17.2 x 25.5 x 3.5	17.2 x 26 x 7
Weight (lb)	2	7	7	42 (without HDDs)	56 (without HDDs)	79 (without HDDs)
POWER						
Power supplies	1 x 40W	1 x 250W	1 x 250W	1 x 350W	2 x 480W	2 x 600W
Voltage	100-240V, 50-60Hz					1000W @ 100-140V, 50-60Hz 1280W @ 180-240V, 50-60Hz
OPTIONS						
RAM Upgrade	-	-	-	Up to 256GB		
CPU Upgrade	-	-	-	Up to 22 cores @ 2.2GHz		

Specifications for Virtual Appliances


<i>Delivery Options</i>	A downloadable VM will be provided in a preferred format in the following options: OVA, EVB, OVF Licensing flows do not change for physical versus virtual appliances.
<i>Hardware Specs</i>	We recommend the same requirements as listed above for our Physical Appliances.
<i>Hypervisor Support</i>	All options require hardware virtualization support VMware vSphere ESXi 5.0 - 6.7 Hyper-V 2008R2 - 2016 (* Only 2016 supports local boot)

IDR Feature Comparison Guide

Primary Appliance	Replication	File Recovery	Baremetal Recovery	DR Local Boot	DR Cloud boot	Block Level Replication	Cloud Spillover
Physical DPA							
IDR	NA	●	●	●	○	○	○
IDR	Paired IDR	●	●	●	●	●	○
IDR	Infrascale Cloud	●	●	●	◐	●	●
Virtual DPA running on VMware							
vIDR (Vmware)	NA	●	●	◐	○	○	○
vIDR (Vmware)	Paired IDR	●	●	●	◐	●	○
vIDR (Vmware)	Infrascale Cloud	●	●	◐	◐	○	●
Virtual DPA running on Hyper-V							
vIDR (Hyper-V)	vCFA (Hyper-V)	●	●	○	○	○	○
vIDR (Hyper-V)	Paired IDR	●	●	●	○	●	○
vIDR (Hyper-V)	Infrascale Cloud	●	●	●	◐	○	●

◐ = Some exceptions apply
 * This table doesn't include functionality for AS400/AIX services

Infrascale is a provider of the most powerful disaster recovery solution in the world. Founded in 2011, the company aims to give every company the ability to recover from a disaster- quickly, easily and affordably. Combining intelligent software with the power of the cloud is how Infrascale cracks the disaster recovery cost barrier without complex, expensive hardware enabling any company to restore operations in minutes with a push of a button. Infrascale equips businesses with the confidence to handle the unexpected by providing less downtime, greater security, and always-on availability.



HOW TO BUY

Need a quote? Need help finding an Infrascale Reseller?

Contact us at

1-877-896-3611

and one of our DR and backup consultants can provide a custom quote or direct you to a qualified reseller.